


Pastel
Color Collection

GVT-PGVT

600x
1200mm

600x
1200mm



The image shows a minimalist studio setup with three vertical panels of different shades of brown and tan. The panels are positioned against a white background. A dashed line connects the text '600x 1200mm' to the bottom edge of the leftmost panel.

THE ENERGY OF NATURE, THE CHARM OF DECORATION.

The Pastel collection crystallizes aesthetic-design rigor on the ceramic Tiles and the discreet elegance of the decoration.



SIZE:
600X1200MM

Technical Features

The significant life events of this tile collection flawlessly support today's modern lifestyle, with qualities such as scratch resistance, germ resistance, stain resistance, and more.



Scratch
Resistance



Fire
Resistance



Frost
Resistance



Stain
Resistance



Dimensional
Stability



Germ
Resistance



Chemical
Resistance



Water
Resistance



Pastel

Color Collection

SURFACES
FOR EVERY
SPACE

Technical Features



Easy To
Maintain



UV
Resistant



Prevents Bacterial
Growth



Heat
Resistant



Water
Proof



Resistant To
Chemicals



Resistant To
Acids



Non-slip



Dimensional
Stability




Frost
Resistant

INDEX


01	PASTEL BIANCO
02	PASTEL BLUE
03	PASTEL BROWN
04	PASTEL CREMA
05	PASTEL GREEN
06	PASTEL GREY
07	PASTEL GRIS
08	PASTEL MUSTARD
09	PASTEL NERO
10	PASTEL PINK
11	PASTEL PURPLE
12	PASTEL RED
13	PASTEL RUST
14	PASTEL SKY
15	PASTEL TEAL

Inspire in
NATURE COLORS





Available in **Matt & Glossy**



FINISH
PASTEL COLOR

5 RANDOM **SIZE:**
PHASE **600x1200mm**






PASTEL
BIANCO



Available in **Matt & Glossy**



FINISH
PASTEL COLOR

5 RANDOM **SIZE:**
PHASE **600x1200mm**





**PASTEL
GREY**

Available in **Matt & Glossy**

**PASTEL
GRIS**

FINISH
PASTEL COLOR

5 RANDOM SIZE:
PHASE **600x1200mm**






**PASTEL
GRIS**

Available in **Matt & Glossy**

**PASTEL
NERO**



FINISH
PASTEL DARK COLOR

5 RANDOM SIZE:
PHASE **600x1200mm**





**PASTEL
NERO**

Available in **Matt & Glossy**

**PASTEL
SKY**

FINISH
PASTEL COLOR

5 RANDOM **SIZE:**
PHASE **600x1200mm**






**PASTEL
SKY**



PASTEL
BLUE

Available in **Matt & Glossy**



FINISH
PASTEL DARK COLOR

5 RANDOM **SIZE:**
PHASE **600x1200mm**






**PASTEL
BLUE**

**PASTEL
TEAL**

Available in **Matt & Glossy**




FINISH
PASTEL DARK COLOR

5 RANDOM **SIZE:**
PHASE **600x1200mm**






**PASTEL
TEAL**



Available in **Matt & Glossy**




FINISH
PASTEL COLOR

5 RANDOM **SIZE:**
PHASE **600x1200mm**






PASTEL
CREMA



PASTEL
RUST

Available in **Matt & Glossy**



FINISH
PASTEL COLOR

4 RANDOM **SIZE:**
PHASE **600x1200mm**





**PASTEL
RUST**

Available in **Matt & Glossy**

**PASTEL
MUSTARD**

FINISH
PASTEL DARK COLOR

4 RANDOM SIZE:
PHASE **600x1200mm**





**PASTEL
MUSTARD**

Available in **Matt & Glossy**

**PASTEL
BROWN**

FINISH
PASTEL DARK COLOR

4 RANDOM SIZE:
PHASE **600x1200mm**






**PASTEL
BROWN**


**PASTEL
RED**

Available in **Matt & Glossy**



FINISH
PASTEL DARK COLOR

4 RANDOM SIZE:
PHASE **600x1200mm**






**PASTEL
RED**


**PASTEL
PINK**

Available in **Matt & Glossy**



FINISH
PASTEL DARK COLOR

4 RANDOM SIZE:
PHASE **600x1200mm**





PASTEL
PINK

Available in **Matt & Glossy**

**PASTEL
PURPLE**

FINISH
PASTEL DARK COLOR

4 RANDOM SIZE:
PHASE **600x1200mm**






**PASTEL
PURPLE**

**PASTEL
GREEN**

Available in **Matt & Glossy**



FINISH
PASTEL DARK COLOR

4 RANDOM **SIZE:**
PHASE **600x1200mm**





**PASTEL
GREEN**

Technical Specification

GVT-PGVT

600 X 1200 MM


CHARACTERISTIC	TEST METHOD	INTERNATIONAL STD ISO 13006/EN 176 GROUP B1a	VALUE
DIMENSION & SURFACE QUALITY			
Deviation in length	ISO-10545-2	+0.6%	±0.2%
Deviation in Thickness	ISO-10545-2	±5%	±3%
Straight of Sides	ISO-10545-2	±0.5%	±0.2%
Rectangularity	ISO-10545-2	±0.5%	±0.2%
Surface Flatness	ISO-10545-2	±0.5%	±0.2%
PHYSICAL & THERMAL PROPERTIES			
Flexural Strength	ISO-10545-4	> 35N/mm²	> 40N/mm²
Skid Resistance (Friction Coefficient)	ISO-10545-17	> 0.4	> 0.4
Breaking Strenght	ISO-10545-11	>1113N	>100N
Frost Resistance	ISO-10545-12	Frost Proof	Frost Proof
Thermal Shock Resistance	ISO-10545-9	No Damage	No Damage
Noisture Expansion	ISO-10545-10	NIL	NIL
Resistance to Surface Abrasion	ISO-10545-7	Abrasion class shall be specified by the manufacturer	PIE IV
CHEMICAL PROPERTIES			
Chemical Resistance	ISO-10545-13	No Damage	No Damage
Color Resistance	ISO-10545-16	No Damage	No Damage
Stain Resistance	ISO-10545-14	Resistant	Resistant

Note :

1. Certain amount of size and shade variation is inherent in all ceramic products.
2. Our conformity to the above Fast is applicable only for Quality.

PACKING DETAILS

Dimension (MM)				
	PIECES	Thickness	Sq. Feet	Weight (Apx.)
600x1200MM	2	8.5mm	15.50	28 kgs.



K P E X P O R T